Certificate of Analysis

Produced: Oct 28, 2026

Sample: Pamos Citron 10mg 750ml Bottle (Edible Liquid) • **Client**: Elixera Labs • **Batch**: Pass



Batch No.: PM28826
Matrix: Edible Liquid
Density: 1.0166 g/ml
Sample ID: ICC-261021-16-001
Collected on: Oct 21, 2026
Received on: Oct 21, 2026
Sample Size:
Package Size: 822.511 g
Serving Size: 48.383 g
The material submitted for testing: not created by chemical synthesis, modification or chemical conversion from another cannabinoid utilizing non-cannabis material.

Batch Result: Pass

Potency	Tested	**Mycotoxins**	Pass
Solvents	Pass	**Pesticides**	Pass
Metals	Pass	**Foreign**	Pass
Microbial	Pass		

Cannabinoid Overview

Total THC:	**9.48 mg/srv**
Total CBD:	**0.000 mg/srv**
Total Cannabinoids:	**9.63 mg/srv**
Sum of Cannabinoids:	**9.63 mg/srv**

https://lims.tagleaf.com/coa_/jULaPvezPZ

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Cannabinoids

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
9R-HHC[2*]			ND		ND	0.0000998/0.00320	N/A
9S-HHC[2*]			ND		ND	0.000170/0.00329	N/A
CBC[1]			ND	N/A	ND	0.00110/0.00328	N/A
CBCA[1]			ND	N/A	ND	0.00154/0.00462	N/A
CBCV[1]			ND	N/A	ND	0.000475/0.00166	N/A
CBD[1]			ND	N/A	ND	0.000335/0.00166	N/A
CBDA[1]			ND	N/A	ND	0.000802/0.00240	N/A
CBDB[2*]			ND		ND	0.000150/0.00375	N/A
CBDP[2*]			ND		ND	0.000130/0.00374	N/A
CBDV[1]			ND	N/A	ND	0.000265/0.00166	N/A
CBDVA[1]			ND	N/A	ND	0.000871/0.00261	N/A
CBE[2*]			ND		ND	0.000178/0.00376	N/A
CBG[1]	0.147	2.490.000303	± 0.00000315 %		0.00308	0.000378/0.00166	N/A
CBGA[1]			ND	N/A	ND	0.000591/0.00177	N/A
CBL[1]			ND	N/A	ND	0.000261/0.00166	N/A
CBLA[1]			ND	N/A	ND	0.00363/0.0109	N/A
CBN[1]			ND	N/A	ND	0.000378/0.00166	N/A

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBNA[1]			ND	N/A	ND	0.000565/0.00170	N/A
CBT[1]			ND	N/A	ND	0.000475/0.00166	N/A
Δ^8-THC[1]			ND	N/A	ND	0.000268/0.00166	N/A
Δ^8-THC-O-acetate[2*]			ND		ND	0.000123/0.00361	N/A
Δ^8-THCP[2*]			ND		ND	0.000275/0.00367	N/A
Δ^8-THCV[2*]			ND		ND	0.0000699/0.00363	N/A
Δ^9-THC[1]	9.48	161	0.0196	± 0.000204 %	0.199	0.000443/0.00166	N/A
Δ^9-THC-O-acetate[2*]			ND		ND	0.000113/0.00364	N/A
Δ^9-THCP[2*]			ND		ND	0.000195/0.00370	N/A
HHC-O-acetate[2*]			ND		ND	0.000205/0.00336	N/A
THCA[1]			ND	N/A	ND	0.000610/0.00183	N/A
THCV[1]			ND	N/A	ND	0.000205/0.00166	N/A
THCVA[1]			ND	N/A	ND	0.000663/0.00199	N/A
THD[2*]			ND		ND	0.000130/0.00349	N/A
Total CBD[1**]			ND		ND		N/A
Total THC[1**]	9.48	161	0.0196	± 0.000204 %	0.199		N/A
Total Cannabinoids*	9.63	164	0.0199		0.202		N/A

[1] POT-INST-005, POT-PREP-002: POT-INST-005, POT-PREP-002: Expanded Potency // Oct 26, 2026
[2] POT-INST-005, POT-PREP-002: POT-INST-005, POT-PREP-002: Comprehensive Cannabinoids // Oct 26, 2026
* Beyond scope of accreditation
** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = (THCA x 0.877) + Delta-9-THC
** Total CBD = (CBDA x 0.877) + CBD
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Utah RS-INST-003, Utah RS-PREP-001: Utah RS-INST-003, Utah RS-PREP-001: Comprehensive Residual Solvents by GC-MS • Oct 27, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
1,1-Dichloroethylene*	8	ND		0.0478/0.143	Pass
1,2-Dichloroethane	2	ND	N/A	0.109/0.325	Pass
1,2-Dimethoxyethane*	100	ND		0.791/2.37	Pass
1,4-Dioxane*	380	ND		0.830/2.49	Pass
1-Butanol*	5000	ND		0.348/1.04	Pass
1-Pentanol*	5000	ND		0.287/0.860	Pass
2,2-Dimethylbutane*	290	ND		0.421/1.26	Pass
2,3-Dimethylbutane*	290	ND		0.485/1.45	Pass
2-Butanol*	5000	ND		5.85/17.6	Pass
2-Butanone*	5000	ND		1.44/4.33	Pass
2-Ethoxyethanol*	160	ND		0.655/1.97	Pass
2-Methylbutane*	5000	ND		0.622/1.87	Pass
2-Methylpentane*	290	ND		0.300/0.900	Pass
2-Propanol	500	ND		0.552/1.66	Pass
3-Methylpentane*	290	ND		0.297/0.892	Pass
Acetone	750	ND	N/A	7.52/22.5	Pass
Acetonitrile	60	ND	N/A	6.31/18.9	Pass
Benzene	1	ND	N/A	0.261/0.784	Pass
Butane	5000	ND	N/A	0.758/2.27	Pass
Chloroform	2	ND	N/A	0.179/0.539	Pass
Cumene*	70	ND		0.275/0.824	Pass
Cyclohexane*	3880	ND		6.47/19.4	Pass
Dichloromethane	600	ND		0.373/1.12	Pass
Dimethyl sulfoxide*	5000	ND		0.864/2.59	Pass

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Ethanol	5029.3	1970	± 29.3 µg/g	1.52/4.57	Pass
Ethyl acetate	400	ND	N/A	0.319/0.956	Pass
Ethylbenzene*	150	ND		0.475/1.42	Pass
Ethylene glycol*	620	ND		0.582/1.75	Pass
Ethylene oxide	5	ND	N/A	0.506/1.52	Pass
Ethyl ether	500	ND	N/A	0.355/1.07	Pass
Heptane	5000	ND	N/A	0.309/0.927	Pass
Hexane	250	ND	N/A	0.470/1.41	Pass
Isopropyl acetate*	5000	ND		1.20/3.60	Pass
Methanol	250	ND	N/A	27.6/82.9	Pass
Methylpropane*	5000	ND		2.33/6.99	Pass
N,N-Dimethylacetamide*	1090	ND		2.96/8.87	Pass
N,N-Dimethylformamide*	880	ND		0.466/1.40	Pass
Pentane	750	ND	N/A	4.30/12.9	Pass
Propane	5000	ND	N/A	2.02/6.08	Pass
Propanol*	5000	ND		6.67/20.0	Pass
Pyridine*	100	ND		0.245/0.735	Pass
Sulfolane*	160	ND		8.71/26.1	Pass
Tetrahydrofuran*	720	ND		0.808/2.43	Pass
Toluene	150	ND	N/A	0.211/0.632	Pass
Trichloroethylene	25	ND	N/A	3.48/10.4	Pass
o-Xylene	150	ND	N/A	0.146/0.437	Pass
p- and m-Xylene	150	ND	N/A	0.0879/0.264	Pass

* Beyond scope of accreditation
Compliance requirements for this test are taken from UT-FL-comprehensive Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Oct 23, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	N/A	0.00300/0.00900	Pass
Cadmium	0.5	ND	N/A	0.00100/0.00200	Pass

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Lead	0.5	ND	N/A	0.00100/0.00400	Pass
Mercury	3	ND	N/A	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Additional Heavy Metals Testing by ICP-MS • Oct 23, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Antimony*		ND	0.00695/0.0208	N/A
Chromium*		ND	0.00926/0.0278	N/A

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Copper*		< LOQ	0.0109/0.0326	N/A
Nickel*		ND	0.00517/0.0155	N/A

* Beyond scope of accreditation
Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) • Oct 23, 2026

Analyte	Limit	Amt	Pass/Fail
Aspergillus flavus		ND	N/A
Aspergillus fumigatus		ND	N/A
Aspergillus niger		ND	N/A

Analyte	Limit	Amt	Pass/Fail
Aspergillus terreus		ND	N/A
Salmonella spp.	Any amt in 1 gram	ND	Pass
Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm-Listeria • Oct 27, 2026

Analyte	Limit	Amt	Pass/Fail
Listeria spp.*		ND	N/A

* Beyond scope of accreditation
Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm-Enterobacteriaceae • Oct 27, 2026

Analyte	Limit	Amt	Pass/Fail
Enterobacteriaceae*		ND	N/A

* Beyond scope of accreditation
Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Petrifilm- Staphylococcus aureus • Oct 27, 2026

Analyte	Limit	Amt	Pass/Fail
Staphylococcus aureus*		ND	N/A

* Beyond scope of accreditation
Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • Oct 28, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Petrifilm-E. Coli • Oct 28, 2026

Analyte	Limit	Amt	Pass/Fail
Escherichia coli		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • Oct 28, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Oct 28, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Oct 23, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	N/A	1.10/3.29	N/A
Aflatoxin B2		ND	N/A	0.950/2.85	N/A
Aflatoxin G1		ND	N/A	2.40/7.20	N/A
Aflatoxin G2		ND	N/A	0.743/2.53	N/A
Aflatoxins	20	ND			Pass
Ochratoxin A	20	ND	N/A	3.87/11.7	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Oct 23, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Captan	6.5	ND	N/A	0.120/0.358	Pass
Chlordane	0.1	ND	N/A	0.0249/0.0747	Pass
Chlorfenapyr	0.1	ND	N/A	0.0251/0.0753	Pass
Cyfluthrin	1	ND	N/A	0.0186/0.0558	Pass
Cypermethrin	1	ND	N/A	0.0145/0.0435	Pass
Methyl parathion	0.1	ND	N/A	0.00811/0.0243	Pass
Pentachloronitrobenzene	1	ND	N/A	0.0182/0.0545	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Oct 23, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND		0.0500/0.100	Pass
Abamectin Ba		ND	N/A	0.0330/0.0990	N/A
Acephate	5	ND	N/A	0.0164/0.0497	Pass
Acequinocyl	4	ND	N/A	0.0194/0.0587	Pass
Acetamiprid	6.5	ND	N/A	0.0146/0.0442	Pass
Aldicarb	0.1	ND	N/A	0.0216/0.0654	Pass
Azoxystrobin	40	ND	N/A	0.00960/0.0291	Pass
Bifenazate	6.5	ND	N/A	0.0115/0.0349	Pass
Bifenthrin	2	ND	N/A	0.0130/0.0395	Pass
Boscalid	14	ND	N/A	0.0197/0.0596	Pass
Carbaryl	0.5	ND	N/A	0.0160/0.0486	Pass
Carbofuran	0.1	ND	N/A	0.00902/0.0300	Pass
Chlorantraniliprole	40	ND	N/A	0.0209/0.0632	Pass
Chlorpyrifos	0.1	ND	N/A	0.0176/0.0534	Pass
Clofentezine	0.85	ND	N/A	0.0129/0.0389	Pass
Coumaphos	0.1	ND	N/A	0.0185/0.0559	Pass
Daminozide	0.1	ND	N/A	0.0261/0.0791	Pass
Diazinon	0.2	ND	N/A	0.00645/0.0300	Pass
Dichlorvos	0.1	ND	N/A	0.0223/0.0674	Pass
Dimethoate	0.1	ND	N/A	0.0118/0.0356	Pass
Dimethomorph	20	ND	N/A	0.0137/0.0416	Pass
Ethoprophos	0.1	ND	N/A	0.0174/0.0528	Pass
Etofenprox	5	ND	N/A	0.00849/0.0300	Pass
Etoxazole	1.5	ND	N/A	0.00783/0.0300	Pass
Fenhexamid	25	ND	N/A	0.0129/0.0392	Pass
Fenoxycarb	0.1	ND	N/A	0.0144/0.0435	Pass
Fenpyroximate	4	ND	N/A	0.00972/0.0300	Pass
Fipronil	0.1	ND	N/A	0.0148/0.0447	Pass
Flonicamid	7.9	ND	N/A	0.0268/0.0811	Pass
Fludioxonil	30	ND	N/A	0.0153/0.0464	Pass
Hexythiazox	6	ND	N/A	0.0257/0.0778	Pass
Imazalil	0.1	ND	N/A	0.0156/0.0474	Pass
Imidacloprid	3.9	ND	N/A	0.0235/0.0711	Pass
Kresoxim-methyl	1	ND	N/A	0.0125/0.0379	Pass
Malathion	8	ND	N/A	0.0117/0.0354	Pass
Metalaxyl	15	ND	N/A	0.0101/0.0306	Pass

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Methiocarb	0.1	ND	N/A	0.0156/0.0473	Pass
Methomyl	0.1	ND	N/A	0.0158/0.0479	Pass
Mevinphos	0.1	ND	N/A	0.0139/0.0423	Pass
Myclobutanil	9	ND	N/A	0.0180/0.0546	Pass
Naled	0.5	ND	N/A	0.0170/0.0514	Pass
Oxamyl	0.2	ND	N/A	0.0153/0.0465	Pass
Paclobutrazol	0.1	ND	N/A	0.0132/0.0400	Pass
Permethrin	20	ND		0.00831/0.0300	Pass
Permethrin cis		ND	N/A	0.0200/0.0300	N/A
Permethrin trans		ND	N/A	0.0200/0.0300	N/A
Phosmet	0.2	ND	N/A	0.0125/0.0377	Pass
Piperonylbutoxide	8	ND	N/A	0.00759/0.0300	Pass
Prallethrin	1	ND	N/A	0.0226/0.0685	Pass
Propiconazole	20	ND	N/A	0.0195/0.0590	Pass
Propoxur	0.1	ND	N/A	0.0155/0.0471	Pass
Pyrethrins	1	ND		0.00431/0.0300	Pass
Pyrethrins Cinerin I		ND	N/A		N/A
Pyrethrins Cinerin II		ND	N/A		N/A
Pyrethrins Jasmolin I		ND	N/A		N/A
Pyrethrins Jasmolin II		ND	N/A		N/A
Pyrethrins Pyrethrin I		ND	N/A	0.0100/0.0450	N/A
Pyrethrins Pyrethrin II		ND	N/A	0.0100/0.0300	N/A
Pyridaben	3	ND	N/A	0.0115/0.0350	Pass
Spinetoram	3.2	ND		0.00639/0.0300	Pass
Spinetoram J		ND	N/A	0.00500/0.0100	N/A
Spinetoram L		ND	N/A	0.00500/0.0100	N/A
Spinosad	3.2	ND		0.00410/0.0300	Pass
Spinosad A		ND	N/A	0.00500/0.0100	N/A
Spinosad D		ND	N/A	0.00500/0.0100	N/A
Spiromesifen	12	ND	N/A	0.0137/0.0416	Pass
Spirotetramat	13	ND	N/A	0.0134/0.0407	Pass
Spiroxamine	0.1	ND	N/A	0.0106/0.0320	Pass
Tebuconazole	2	ND	N/A	0.0144/0.0437	Pass
Thiacloprid	0.1	ND	N/A	0.0139/0.0421	Pass
Thiamethoxam	4.5	ND	N/A	0.0181/0.0549	Pass
Trifloxystrobin	30	ND	N/A	0.0102/0.0310	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

https://lims.tagleaf.com/coa_/jULaPvezPZ

PJLA
Testing
Accreditation #95560
ISO17025:2017

PJLA Accredited

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS / PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS
Abamectin, Abamectin Ba, Acephate, Acequinocyl, Acetamiprid, Aldicarb, Azoxystrobin, Bifenazate, Bifenthrin, Boscalid, Captan, Carbaryl, Carbofuran, Chlorantraniliprole, Chlordane, Chlorfenapyr, Chlorpyrifos, Clofentezine, Coumaphos, Cyfluthrin, Cypermethrin, Daminozide, Diazinon, Dichlorvos, Dimethoate, Dimethomorph, Ethoprophos, Etofenprox, Etoxazole, Fenhexamid, Fenoxycarb, Fenpyroximate, Fipronil, Flonicamid, Fludioxonil, Hexythiazox, Imazalil, Imidacloprid, Kresoxim-methyl, MGK-264, MGK-264 I, MGK-264 II, Malathion, Metalaxyl, Methiocarb, Methomyl, Methyl parathion, Mevinphos, Myclobutanil, Naled, Oxamyl, Paclobutrazol, Pentachloronitrobenzene, Permethrin, Permethrin cis, Permethrin trans, Phosmet, Piperonylbutoxide, Prallethrin, Propiconazole, Propoxur, Pyrethrins, Pyrethrins Cinerin I, Pyrethrins Cinerin II, Pyrethrins Jasmolin I, Pyrethrins Jasmolin II, Pyrethrins Pyrethrin I, Pyrethrins Pyrethrin II, Pyridaben, Quintozene, Spinetoram, Spinetoram J, Spinetoram L, Spinosad, Spinosad A, Spinosad D, Spiromesifen, Spirotetramat, Spiroxamine, Spiroxamine A, Spiroxamine B, Tebuconazole, Thiacloprid, Thiamethoxam, Trifloxystrobin, alpha-Chlordane, gamma-Chlordane

Utah RS-INST-003, Utah RS-PREP-001: Utah RS-INST-003, Utah RS-PREP-001: Comprehensive Residual Solvents by GC-MS
1,2-Dichloroethane, 2-Propanol, Acetone, Acetonitrile, Benzene, Butane, Chloroform, Dichloromethane, Ethanol, Ethyl acetate, Ethyl ether, Ethylene oxide, Heptane, Hexane, Isopropyl alcohol, Methanol, Methylene chloride, Pentane, Propane, Toluene, Total xylenes, Trichloroethene, Trichloroethylene, m-Xylene, o- and p-Xylene, o-Xylene, p- and m-Xylene, p-Xylene

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) / Petrifilm-Listeria / Petrifilm-Enterobacteriaceae / Petrifilm- Staphylococcus aureus / MICR-002: MICR-002: Petrifilm-Aerobic / Petrifilm-E. Coli / MICR-002: MICR-002: Petrifilm-Coliforms / MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold
Aerobic Bacteria, Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, Aspergillus terreus, Coliforms, Escherichia coli, Salmonella spp., Shiga toxin-producing E. coli, Total Plate Count, Yeast & Mold

FOREIGN-001: FOREIGN-001: Filth and Foreign Material
Cinders, Dirt, Foreign Matter, Imbedded Foreign Material, Insect Fragments, Insect Fragments, Hair, Mammal Excrement, Mammal Excrement, Mold, Rodent Hair, Sand, Sand, Soil, Cinders, Dirt, Soil

POT-INST-005, POT-PREP-002: POT-INST-005, POT-PREP-002: Expanded Potency / POT-INST-005, POT-PREP-002: POT-INST-005, POT-PREP-002: Comprehensive Cannabinoids
CBC, CBCA, CBCV, CBD, CBDA, CBDV, CBDVA, CBG, CBGA, CBL, CBLA, CBN, CBNA, CBT, Delta-8-THC, Delta-9-THC, THCA, THCV, THCVA, Total CBD, Total THC

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS
Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Aflatoxins, Ochratoxin A

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS / HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Additional Heavy Metals Testing by ICP-MS
Arsenic, Cadmium, Lead, Mercury

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Oct 28, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Oct 28, 2026