

## **Certificate of Analysis**

### **ANALYZED BY:**

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



### **CUSTOMER:**

Pamos Hemp LLC 3007 Washington blvd suite 220 Marina DEL REY, CA 90292

### **SAMPLE INFORMATION**

Sample No.: Product Name: PMS-SPLD-63 Edible (Beverage) Date Received: 08/29/2025 **Date Reported:** 09/04/2025

**TEST SUMMARY** 

Pass **Cannabinoid Profile:** 

09/04/2025

Cannabinoid Profile Pass

Method: MF-CHEM-15

Liquid Chromatography Diode Array Detector (LC-DAD) Instrument:

**Limit of Detection** 0.0017 mg/g Limit of Quantitation 0.0050 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-ΤΗС	ND	ND	ND	ND	ND	-	-	-
Δ9-ΤΗС	0.117	0.0117	0.119	5.59	89.40	5	11.75	Pass
Δ9-ΤΗCΑ	ND	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	ND	-	-	-
CBD	0.049	0.0049	0.050	2.34	37.37	2	16.79	-
CBDA	ND	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	ND	-	-	-
CBG	0.005	0.0005	0.005	0.24	3.91	-	-	-
CBGA	ND	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	ND	-	-	-
Total THC	0.117	0.0117	0.119	5.59	89.40	-	-	-
Total CBD	0.049	0.0049	0.050	2.34	37.37	-	-	-
Total Cannabinoids	0.170	0.0170	0.174	8.17	130.69	-	-	-
Sum of Cannabinoids	0.170	0.0170	0.174	8.17	130.69	-	-	-
Serving Weight (g)	47.9625							
Package Weight (g)	767.4							

g/ml Conversion Factor 1.0232

Total THC =  $\Delta 8$ -THC +  $\Delta 9$ -THC + (0.877 \* THCA)

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) + [0.877 \*  $\Sigma$  (acidic cannabinoids)]

This result of this sample is confirmed with a retest. Comments

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Page 1 of 2

Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -Certificate Number AT-1551.

Sample #: 1336304



# **Certificate of Analysis**

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



Scan to verify



Sample #: 1336304