

**Universal Hemp Panel**

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
DEA# PA0202945

**CUSTOMER:**

Pamos Hemp LLC  
3007 Washington blvd suite 220  
Marina DEL REY, CA 90292

**MANUFACTURER:**

Copperhead Brewing Co.  
11695 Crossroads Cir Suite A  
Middle River 21220  
Maryland License#: PT0016302



**SAMPLE INFORMATION**

**Sample No.:** 1390458  
**Product Name:** PMS-WMMT-10-01  
**Matrix:** Edible (Beverage)  
**Lot #:** 01  
**PO #:** Pooles3.11.26(2)

**Date Collected:** 03/16/2026  
**Date Received:** 03/12/2026  
**Date Reported:** 04/15/2026  
**Expiration Date:** 03/02/2027

**TEST SUMMARY**

**Cannabinoid Profile:** ✔ Pass  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass

**Microbiological Screen:** ✔ Pass  
**Residual Solvent Screen:** ✔ Pass  
**Foreign Material:** ✔ Pass

**Customer Comment(s):**

The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

**Cannabinoid Profile** ✔ Pass

04/15/2026

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0008 mg/g  
**Limit of Quantitation** 0.0025 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	ND	-	-	-
Δ9-THC	0.0297	0.00297	0.0305	10.81	10.81	10	8.11	Pass
Δ9-THCA	ND	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	ND	-	-	-
CBD	ND	ND	ND	ND	ND	-	-	-
CBDA	ND	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	ND	-	-	-
CBG	0.0052	0.00052	0.0053	1.89	1.89	2	5.36	-
CBGA	ND	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	ND	-	-	-
Total THC	0.0297	0.00297	0.0305	10.81	10.81	-	-	-
Total CBD	ND	ND	ND	ND	ND	-	-	-
Total Cannabinoids	0.0349	0.00349	0.0358	12.70	12.70	-	-	-
Sum of Cannabinoids	0.0349	0.00349	0.0358	12.70	12.70	-	-	-
<b>Serving Weight (g)</b>	364.0170							
<b>Package Weight (g)</b>	364.017							
<b>g/ml Conversion Factor</b>	1.0254							

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Comment(s):** Potency result is from Sample 1398312.

## Microbiological Screen ✔ Pass

03/18/2026

Analyte	Findings	Units	Method	Limit	Status
Campylobacter	ND	/25g	MDS Campylobacter	-	-
Salmonella	ND	/25g	AOAC 2016.01	ND	Pass
STEC	ND	/25g	MF-MICRO-18	ND	Pass
Aspergillus flavus	ND	/25g	MF-MICRO-14	ND	Pass
Aspergillus fumigatus	ND	/25g	MF-MICRO-14	ND	Pass
Aspergillus niger	ND	/25g	MF-MICRO-14	ND	Pass
Aspergillus terreus	ND	/25g	MF-MICRO-14	ND	Pass
Listeria Species	ND	/25g	AOAC 2016.07	ND	Pass
Total Aerobic Plate Count	0/10	cfu/g	FDA BAM	100000	Pass
Total Coliforms	0/10	cfu/g	FDA BAM - ECC Agar	100	Pass
E. Coli	ND	/1g	FDA BAM Modified	1	Pass
Total Enterobacteriaceae	<1	cfu/g	AOAC 2003.01	ND	Pass
Staphylococcus aureus	<1	cfu/g	AOAC 2003.07	ND	Pass
Total Yeast and Mold	0/10	cfu/g	FDA BAM	100000	Pass
Yersinia	ND	/25g	foodproof® Yersinia	-	-

## Pesticide Residue Screen ✔ Pass

03/18/2026

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty**

**Average:** ±21.40%

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.015/0.05	ND	0.05	Pass
Acephate	0.003/0.01	ND	0.01	Pass
Acequinocyl	0.003/0.01	ND	0.01	Pass
Acetamiprid	0.003/0.01	ND	0.01	Pass
Aldicarb	0.003/0.01	ND	0.01	Pass
Azoxystrobin	0.003/0.01	ND	0.01	Pass
Bifenazate	0.003/0.01	ND	0.01	Pass
Bifenthrin	0.003/0.01	ND	0.01	Pass
Boscalid	0.003/0.01	ND	0.01	Pass
Captan	0.250/0.7	ND	0.7	Pass
Carbaryl	0.003/0.01	ND	0.01	Pass
Carbofuran	0.003/0.01	ND	0.01	Pass
Chlorantraniliprole	0.003/0.01	ND	0.01	Pass
Chlordane	0.020/0.06	ND	0.06	Pass
Chlorfenapyr	0.015/0.05	ND	0.05	Pass
Chlorpyrifos	0.003/0.01	ND	0.01	Pass
Clofentezine	0.003/0.01	ND	0.01	Pass
Coumaphos	0.003/0.01	ND	0.01	Pass
Cyfluthrin	0.015/0.05	ND	0.05	Pass
Cypermethrin	0.015/0.05	ND	0.05	Pass
Daminozide	0.003/0.01	ND	0.01	Pass
DDVP (Dichlorvos)	0.003/0.01	ND	0.01	Pass
Diazinon	0.003/0.01	ND	0.01	Pass
Dimethoate	0.003/0.01	ND	0.01	Pass
Dimethomorph	0.003/0.01	ND	0.01	Pass
Ethoprop(hos)	0.003/0.01	ND	0.01	Pass
Etofenprox	0.003/0.01	ND	0.01	Pass
Etoxazole	0.003/0.01	ND	0.01	Pass
Fenhexamid	0.007/0.02	ND	0.02	Pass
Fenoxycarb	0.003/0.01	ND	0.01	Pass
Fenpyroximate	0.007/0.02	ND	0.02	Pass
Fipronil	0.003/0.01	ND	0.01	Pass
Fonicamid	0.003/0.01	ND	0.01	Pass
Fludioxonil	0.003/0.01	ND	0.01	Pass
Hexythiazox	0.003/0.01	ND	0.01	Pass
Imazalil	0.003/0.01	ND	0.01	Pass
Imidacloprid	0.003/0.01	ND	0.01	Pass
Kresoxim Methyl	0.003/0.01	ND	0.01	Pass
Malathion	0.003/0.01	ND	0.01	Pass
Metalaxyl	0.003/0.01	ND	0.01	Pass
Methiocarb	0.003/0.01	ND	0.01	Pass
Methomyl	0.003/0.01	ND	0.01	Pass
Methyl parathion	0.003/0.01	ND	0.01	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Mevinphos	0.007/0.02	ND	0.02	Pass
Myclobutanil	0.003/0.01	ND	0.01	Pass
Naled	0.003/0.01	ND	0.01	Pass
Oxamyl	0.003/0.01	ND	0.01	Pass
Paclbutrazol	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.003/0.01	ND	0.01	Pass
Permethrins	0.015/0.05	ND	0.05	Pass
Phosmet	0.003/0.01	ND	0.01	Pass
Piperonyl Butoxide	0.003/0.01	ND	0.01	Pass
Prallethrin	0.015/0.05	ND	0.05	Pass
Propiconazole	0.003/0.01	ND	0.01	Pass
Propoxur	0.003/0.01	ND	0.01	Pass
Pyrethrins	0.015/0.05	ND	0.05	Pass
Pyridaben	0.003/0.01	ND	0.01	Pass
Spinetoram	0.003/0.01	ND	0.01	Pass
Spinosad	0.003/0.01	ND	0.01	Pass
Spiromesifen	0.003/0.01	ND	0.01	Pass
Spirotetramat	0.003/0.01	ND	0.01	Pass
Spiroxamine	0.003/0.01	ND	0.01	Pass
Tebuconazole	0.003/0.01	ND	0.01	Pass
Thiacloprid	0.003/0.01	ND	0.01	Pass
Thiamethoxam	0.003/0.01	ND	0.01	Pass
Trifloxystrobin	0.003/0.01	ND	0.01	Pass
Azadirachtin	0.100/0.30	ND	0.3	Pass
Chlormequat Chloride	0.03/0.10	ND	0.1	Pass
MGK 264	0.03/0.10	ND	0.1	Pass

## Residual Solvent Screen ✔ Pass

03/18/2026

Method: MF-CHEM-32

Measurement of Uncertainty Average: ±1.43%

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Propane	67/200	ND	210	Pass
1,1-Dichloroethene	2/4	ND	8	Pass
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	750	Pass
Acetonitrile	67/200	ND	60	Pass
Benzene	0.2/0.5	ND	1	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	1420.00	5000	Pass
Ethyl acetate	67/200	ND	400	Pass
Ethyl ether	67/200	ND	500	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	500	Pass
Isopropyl alcohol	67/200	ND	500	Pass
Methanol	67/200	ND	250	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
Toluene	67/200	ND	150	Pass
n-Butane	67/200	ND	800	Pass
n-Hexane	67/200	ND	100	Pass
n-Pentane	67/200	217.00	750	Pass
Total Xylenes	67/200	ND	150	Pass

## Heavy Metal Screen ✔ Pass

03/18/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Measurement of Uncertainty Average: ±4.4%

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit	Status
Arsenic	0.033/0.101	ND	0.2	Pass
Cadmium	0.047/0.141	ND	0.2	Pass
Mercury	0.014/0.05	ND	0.1	Pass
Lead	0.107/0.324	ND	0.5	Pass

**Foreign Material** ✔ Pass

03/18/2026

Method: MF-CHEM-7

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

**Mycotoxin Screen** ✔ Pass

03/18/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty (MU): ±20.21%

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	5	Pass
Aflatoxin B2	2/5	ND	20	Pass
Aflatoxin G1	2/5	ND	20	Pass
Aflatoxin G2	2/5	ND	20	Pass
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	2/5	ND	5	Pass

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by



Vu Lam  
Lab Co Director



Scan to verify